

# MATERIAL SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name: **GLENIUM ACE 331**  
Other name: None allocated  
Product code: 1010100163001\_, 1010100163002\_, 1010100163003\_, 1010100163004\_  
Recommended use: New generation, high early strength hyperplasticiser for premixed and precast concrete.

Company: BASF Construction Chemicals Australia Pty Ltd.  
ABN: 46 000 450 288  
Address: 11 Stanton Road,  
Seven Hills, NSW, 2147, Australia  
Telephone number: +61 2 8811 4200  
Facsimile: +61 2 8811 3299

Company: BASF Construction Chemicals New Zealand Ltd.  
Address: 45 William Pickering Drive,  
Albany, Auckland,  
New Zealand  
Telephone number: +64 9 414 7233  
Facsimile: +64 9 414 7244

Emergency telephone number: 0417 658 263

## 2. HAZARDS IDENTIFICATION

Hazard classification: Not hazardous according to criteria of NOHSC  
Risk phrase(s): None allocated  
Safety phrase(s): None allocated

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

### INGREDIENTS

| Chemical Name             | CAS Number | Proportion |
|---------------------------|------------|------------|
| Polycarboxylate solution  |            | 30 - 60%   |
| Non-hazardous ingredients |            | to 100%    |

## 4. FIRST AID MEASURES

Ingestion: Do NOT induce vomiting. Wash mouth with water and seek medical attention.  
Eyes: While holding eyes open, gently flood with plenty of fresh water for 15 minutes. If irritation persists or recurs seek medical attention. Skilled personnel should only undertake removal of contact lenses after an eye injury.  
Skin: Wash contacted area thoroughly with soap and plenty of water. Seek medical attention in event of irritation.  
Inhalation: Remove to fresh air. Lay patient down and rest.

## MATERIAL SAFETY DATA SHEET

First aid facilities: Ensure availability of clean water for eye/skin wash.

Advice to doctor: Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Water spray, Foam, CO<sub>2</sub> and Dry Chemical.

Hazards from combustion products: Oxides of carbon.

Precautions and equipment for fire fighters: Water stream directed into fire may cause frothing with subsequent spread of fire. Cool containers/tanks with water spray.

### 6. ACCIDENTAL RELEASE MEASURES

Methods for clean up / collecting: Caution slippery when spilt. Stop leak if possible without risk.  
Spills should be contained by absorbing with dry inert filler (vermiculite, sand or soil), which can then be shovelled into appropriately labelled drums for disposal. Carefully dilute with water (fine spray or fog). Wash down area with excess water into a containment area or contain with inert filler for disposal.

Spills in a contained area such as a bund can be removed by a commercial bulk liquid waste disposal organisation.

Environmental precautions: Do not discharge into sewers or waterways.

### 7. HANDLING AND STORAGE

#### Conditions for safe storage

Location: Store in a cool dry area.

Temperature conditions: 5 to 35°C

Protection from weather: Store undercover and away from frost.

Storage incompatibilities: Strong oxidising agents.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards: Not available

Engineering controls: Natural ventilation should be adequate under normal use conditions. Keep containers closed when not in use.

Personal Protective Equipment This product is not classified as hazardous, so PPE is not normally essential. However, it is generally recommended that contact with any chemical be kept to a minimum. Following is a guide to suggested PPE that may be utilised for handling this product.

Respiratory protection: Not normally applicable. Avoid mists.

Glove type (AS2161): Impervious gloves e.g. PVC or nitrile rubber gauntlets

Eye protection: Chemical worker's goggles or safety glasses.

Clothing: General protective clothing such as overalls or long pants and a long sleeve shirt or a chemical apron. Remove contaminated clothing as soon as possible. Launder thoroughly before reusing. For large spills or ponded areas impervious footwear is preferred.

## MATERIAL SAFETY DATA SHEET

Other: Use barrier creams to protect skin from contact with the material. Always wash hands before smoking, eating, drinking or using the toilet and after finishing work. Observe the usual precautions when handling chemicals.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|                          |  |
|--------------------------|--|
| Appearance:              | Clear amber liquid.                          |
| Boiling point (°C):      | ca. > 100                                    |
| Melting point (°C):      | Not available                                |
| Vapour pressure:         | Not available                                |
| Specific gravity:        | 1.050 - 1.090                                |
| Flash point (°C):        | > 100  |
| Flammability limits (%): | UEL – Not applicable<br>LEL – Not applicable |
| Solubility in water      | Completely miscible                          |
| pH (@ 20°C):             | 6 – 8  |

### 10. STABILITY AND REACTIVITY

|                                   |  |
|-----------------------------------|--|
| Hazard of use/storage:            | Stable under normal storage and application temperature. |
| Materials to avoid:               | Strong oxidising agents.                                 |
| Hazardous decomposition products: | Oxides of carbon.  |

### 11. TOXICOLOGICAL INFORMATION

#### Acute

|             |   |
|-------------|---|
| Ingestion:  | No adverse effects expected, however larger amounts may cause nausea, diarrhoea and vomiting. |
| Eye:        | May cause eye irritation  |
| Skin:       | Repeated or prolonged skin contact may lead to irritation                                     |
| Inhalation: | Not applicable  |

Chronic: There have been no reports in the literature of health effects in workers arising from long term exposure to this material and no comprehensive human studies have been conducted.

### 12. ECOLOGICAL INFORMATION

Ecology: Do not discharge into sewers or waterways.

### 13. DISPOSAL CONSIDERATIONS

#### Disposal Methods

|                                  |  |
|----------------------------------|--|
| State/Territory authority:       | Observe all Federal, State and Local regulations |
| Dispose – Secure landfill:       | Yes.   |
| Dispose – High temp incinerator: | No   |
| Precautions for clean up crew:   | Nitrile rubber or PVC gauntlets.                 |

## MATERIAL SAFETY DATA SHEET

### 14. TRANSPORT INFORMATION

|                        |                |
|------------------------|----------------|
| UN number:             | None allocated |
| Dangerous goods class: | None allocated |
| Subsidiary risk:       | None allocated |
| EPG card:              | None allocated |
| Shipping name:         | None allocated |
| Packing group:         | None allocated |
| Poisons schedule:      | None allocated |
| Hazchem code:          | None allocated |

### 15. REGULATORY INFORMATION

|                   |                |
|-------------------|----------------|
| Risk phrase(s):   | None allocated |
| Safety phrase(s): | None allocated |

### 16. OTHER INFORMATION

Reason for Issue: Change of company name.

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request. All information contained in this MSDS is as accurate and up-to-date as possible. No warranty expressed or implied is made as to its accuracy, reliability or completeness.