

# Safety data sheet

Page: 1/8

BASF Safety data sheet  
Date / Revised: 14.11.2011  
Product: **STABILMAC**

Version: 1.0

(30355613/SDS\_GEN\_NZ/EN)

Date of print 14.11.2011

## 1. Substance/preparation and company identification

### STABILMAC

Use: Product for construction chemicals

Company:

BASF Australia Limited (ABN 62 008 437 867)  
Level 12, 28 Freshwater Place Southbank  
Victoria 3006, AUSTRALIA

Contact address:

BASF New Zealand Limited  
3 Airpark Drive, Airport Oaks, Manukau  
P.O. Box 407, Auckland 1015  
NEW ZEALAND  
Telephone: +64 9 255-4300  
Telefax number: +64 9 255-4307

Emergency information:

National Poisons Centre: 0800 764 766  
BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only)  
BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)

## 2. Hazard identification

**Classification:** Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001  
(New Zealand)

**Subclasses:** Subclass 6.1 Category E - Substance which are acutely toxic  
Subclass 6.3 Category A - Substance which are skin irritants  
Subclass 8.3 Category A - Substance corrosive to ocular tissue

BASF Safety data sheet  
Date / Revised: 14.11.2011  
Product: **STABILMAC**

Version: 1.0

(30355613/SDS\_GEN\_NZ/EN)

Date of print 14.11.2011

---

### 3. Composition/information on ingredients

#### Chemical nature

modified cement mortar

#### Hazardous ingredients

Calcium oxide (CaO)

Content (W/W):  $\geq 50\%$  -  $\leq 90\%$   
CAS Number: 1305-78-8  
EC-Number: 215-138-9  
Hazard symbol(s): Xi  
R-phrase(s): 37/38, 41

Cement, portland, chemicals

Content (W/W):  $\geq 20\%$  -  $\leq 35\%$   
CAS Number: 65997-15-1  
EC-Number: 266-043-4  
Hazard symbol(s): Xi  
R-phrase(s): 38, 41

The wording of the hazard symbols and R-phrases is specified in chapter 16 if dangerous ingredients are mentioned.

---

### 4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Obtain medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Note to physician:

Symptoms: Eye irritation, skin irritation, irritation of the mucous membranes

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

### Additional information:

Product itself is non-combustible. Only the packaging materials can catch fire. The generally usual extinguishing agents to esteem for sufficient.

### Specific hazards:

Product is not combustible or explosive. No particular hazards known.

### Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental Release Measures

### Personal precautions:

Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

### Environmental precautions:

No special precautions necessary.

### Methods for cleaning up or taking up:

Sweep/shovel up.

---

## 7. Handling and Storage

### Handling

Avoid dust formation. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

### Protection against fire and explosion:

No special precautions necessary.

### Storage

Suitable materials for containers: tin (tinplate)

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

---

## 8. Exposure controls and personal protection

### Components with workplace control parameters

calcium oxide, 1305-78-8;

TWA value 2 mg/m<sup>3</sup> (ACGIHTLV)

TWA value 2 mg/m<sup>3</sup> (OEL (NZ))

Cement, portland, chemicals, 65997-15-1;

TWA value 10 mg/m<sup>3</sup> (OEL (NZ))

The value is for inspirable dust containing no asbestos and less than 1% free silica. (See Appendix 1).

TWA value 1 mg/m<sup>3</sup> (ACGIHTLV), Respirable fraction

The value is for particulate matter containing no asbestos and <1% crystalline silica.

TWA value 10 mg/m<sup>3</sup> (OEL (NZ))

The value is for inspirable dust containing no asbestos and less than 1% free silica. (See Appendix 1).

### Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed.

Hand protection:

nitrile coated cotton gloves (e.g. EN 388, 374)

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure., light protective clothing

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

---

## 9. Physical and Chemical Properties

Form: powder  
Colour: grey  
Odour: odourless

pH value: > 12  
(10 % (m), 20 °C)

BASF Safety data sheet  
Date / Revised: 14.11.2011  
Product: **STABILMAC**

Version: 1.0

(30355613/SDS\_GEN\_NZ/EN)

Date of print 14.11.2011

Self ignition: not self-igniting

Explosion hazard: not explosive  
Fire promoting properties: not fire-propagating

Density: approx. 3 g/cm<sup>3</sup>  
(20 °C)

Bulk density: 1,800 - 2,400 kg/m<sup>3</sup>

Solubility in water: insoluble, Reacts with water.  
(20 °C)

Solids content: 100 %

**Other Information:**

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

**Conditions to avoid:**

See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

**Substances to avoid:**

strong bases, strong acids

Corrosion to metals: No corrosive effect on metal.

**Hazardous reactions:**

The product is stable if stored and handled as prescribed/indicated.

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Acute toxicity

**Assessment of acute toxicity:**

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. The inhalation of dusts represents a potential acute hazard.

### Irritation

**Assessment of irritating effects:**

Causes temporary irritation of the respiratory tract. Skin contact causes irritation. May cause severe damage to the eyes. The product has not been tested. The statement has been derived from products of a similar structure or composition.

### Sensitization

**Assessment of sensitization:**

Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-life is unlikely.

**Repeated dose toxicity****Assessment of repeated dose toxicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

**Genetic toxicity****Assessment of mutagenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

**Carcinogenicity****Assessment of carcinogenicity:**

The whole of the information available provides no indication of a carcinogenic effect.

**Reproductive toxicity****Assessment of reproduction toxicity:**

The chemical structure does not suggest such an effect. The product has not been tested. The statement has been derived from the properties of the individual components.

**Developmental toxicity****Assessment of teratogenicity:**

The chemical structure does not suggest such an effect. The product has not been tested. The statement has been derived from the properties of the individual components.

**Other relevant toxicity information**

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

---

**12. Ecological Information****Ecotoxicity****Assessment of aquatic toxicity:**

There is a high probability that the product is not acutely harmful to aquatic organisms. The product gives rise to pH shifts.

**Mobility****Assessment transport between environmental compartments:**

The substance will not evaporate into the atmosphere from the water surface.

BASF Safety data sheet  
Date / Revised: 14.11.2011  
Product: **STABILMAC**

Version: 1.0

(30355613/SDS\_GEN\_NZ/EN)

Date of print 14.11.2011

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

Inorganic product which cannot be eliminated from water by biological purification processes. The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

Experience shows this product to be inert and non-degradable.

Elimination information:  
not applicable

### **Bioaccumulation potential**

Assessment bioaccumulation potential:

The product will not be readily bioavailable due to its consistency and insolubility in water.

### **Additional information**

Other ecotoxicological advice:  
Do not discharge product into the environment without control.

---

## **13. Disposal Considerations**

Observe national and local legal requirements.  
Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:  
Completely emptied packagings can be given for recycling.

---

## **14. Transport Information**

### **Domestic transport:**

Not classified as a dangerous good under transport regulations

### **Sea transport IMDG**

Not classified as a dangerous good under transport regulations

### **Air transport IATA/ICAO**

Hazard class:	8
Packing group:	III
ID number:	UN 1910
Hazard label:	8

