



The Chemical Company

# MATERIAL SAFETY DATA SHEET

According to NOHSC: 2011 (2003) and HSNO CoP 8-1 (September 2006)

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name: **MASTERTOP 105 NATURAL / COLOURED**  
Other name: None allocated  
Recommended use: Heavy duty, non-metallic surface hardener for concrete.  
Supplier: BASF New Zealand Ltd.  
Address: 45 William Pickering Drive,  
Albany, Auckland,  
New Zealand  
Telephone number: +64 9 414 7233  
Facsimile: +64 9 414 7244  
Emergency telephone number: +61 417 658 263

## 2. HAZARDS IDENTIFICATION

Hazard classification: HAZARDOUS SUBSTANCE. NON DANGEROUS GOODS.  
Non Dangerous goods for transport according to the ADG code.  
Hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001 and NOHSC.

Hazard Designation: Xi - Irritant

HSNO Classification

63.A	Irritating to the skin
6.5B	Contact sensitiser (dermal)
6.9	Irritating to the respiratory system
8.3A	Causes serious damage to eyes

Risk phrase(s):

R37/38	Irritating to respiratory system and skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.

Safety phrase(s):

S2	Keep out of reach of children.
S26	In case of contact with skin and eyes, rinse immediately with plenty of water and seek medical advice.
S37/39	Wear suitable protective gloves and eye/face protection.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Proportion</u>
Portland cement	65997-15-1	30 – 60%
Non hazardous ingredients		to 100%

## 4. FIRST AID MEASURES

Inhalation: Remove to fresh air. Lay patient down and rest.

Eyes: While holding eyes open, gently flood with plenty of fresh water for 15 minutes. If irritation persists or recurs seek medical attention. Skilled personnel should only undertake removal of contact lenses after an eye injury.

Skin: Wash contacted area thoroughly with soap and plenty of water. If irritation persists, seek medical attention.

Ingestion: Do NOT induce vomiting. Wash mouth and give a glass of water. Seek medical attention.

# MATERIAL SAFETY DATA SHEET

According to NOHSC: 2011 (2003) and HSNO CoP 8-1 (September 2006)

## 5. FIRE FIGHTING MEASURES

<u>Suitable extinguishing media:</u>	Foam, CO <sub>2</sub> and Dry Chemical.
<u>Hazards from combustion products:</u>	Not normally combustible. Possible release of CO <sub>2</sub> above 600°C. May fuse at very high temperatures.
<u>Precautions for fire fighters:</u>	Full protective clothing as per personal protection, section 8.
<u>Hazchem code:</u>	None allocated

## 6. ACCIDENTAL RELEASE MEASURES

<u>Methods &amp; materials for containment &amp; clean up:</u>	Spills should be carefully vacuumed or swept up and then shovelled into appropriately labelled containers. Disposal should be effected by an approved waste disposal organisation according to local regulations.
<u>Environmental precautions:</u>	Do not allow to enter into drains, sewers or waterways.

## 7. HANDLING AND STORAGE

<u>Precautions for safe handling:</u>	Wear personal protective equipment (PPE) as per Section 8. Provide for good ventilation. Avoid inhalation of dust. Avoid skin contact.
<u>Conditions for safe storage:</u>	Keep containers tightly closed; store under cool dry conditions. Keep out of reach of children. Store under cover and away from moisture. Store at 5°C to 35°C. Store away from incompatible materials.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Engineering Controls:</u>	Use in well-ventilated area. Avoid generating and inhaling dusts.
<u>Exposure Standards</u>	Portland Cement (65997-15-1) ES-TWA: 10 mg/m <sup>3</sup> NZ WES-TWA: 10 mg/m <sup>3</sup>
<u>Personal Protective Equipment (PPE):</u>	
<u>Respiratory protection:</u>	Class P1 or dust mask.
<u>Glove type (AS2161):</u>	Nitrile rubber or PVC gauntlets.
<u>Eye protection:</u>	Chemical worker's goggles, well fitting safety glasses or full face shield.
<u>Clothing:</u>	No special clothing required but overalls are suggested as a general precaution, especially where heavy contamination is likely.
<u>Other:</u>	Use barrier creams to protect skin from contact with the material. Do not eat drink or smoke while working with the material. Always wash hands before smoking, eating, drinking or using the toilet and after finishing work. Observe the usual precautions when handling chemicals.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Appearance:</u>	Coloured or natural granular powder
<u>Odour:</u>	Odourless
<u>pH:</u>	> 11 (aqueous solution)
<u>Vapour pressure:</u>	Not available

# MATERIAL SAFETY DATA SHEET

According to NOHSC: 2011 (2003) and HSNO CoP 8-1 (September 2006)

<u>Solubility in water:</u>	Insoluble
<u>Specific gravity:</u>	approx. 2.0 g/cm <sup>3</sup>
<u>Melting point:</u>	Not available
<u>Flash point:</u>	Not applicable
<u>Boiling point:</u>	> 200°C
<u>Flammability limits:</u>	Not applicable
<u>Viscosity:</u>	Not applicable

## 10. STABILITY AND REACTIVITY

<u>Chemical stability:</u>	Stable under normal storage and application temperature.
<u>Incompatible materials:</u>	Strong oxidising agents, acids and alkalis.
<u>Hazardous decomposition products:</u>	None known.
<u>Hazardous reactions:</u>	Hazardous polymerisation will not occur.

## 11. TOXICOLOGICAL INFORMATION

<u>Health Hazard Summary:</u>	Overexposure to respirable dust may cause coughing, wheezing, difficulty in breathing and impaired pulmonary function. Chronic symptoms include decreased vital lung capacity and chest infections. Chronic exposure may cause silicosis, a disabling form of pneumoconiosis, which leads to fibrosis.
<u>Inhalation:</u>	The dust is harmful and irritating to the upper respiratory tract and lungs. The material presents a hazard from repeated exposures over long period.
<u>Eyes:</u>	The dust is abrasive and irritating to the eyes and may be capable of causing corneal scarring.
<u>Skin contact:</u>	Slight irritation and may cause dermatitis. In the presence of moisture such as perspiration it can dry skin and cause alkali burns.
<u>Ingestion:</u>	Swallowing can result in irritation and burns to mouth and stomach.
<u>Toxicity Data:</u>	Not available

## 12. ECOLOGICAL INFORMATION

<u>Ecotoxicity:</u>	Do not discharge into drains, sewers or waterways because of the high alkalinity. Due to its alkalinity this product is harmful to fish and other aquatic life forms. Degradability not determined.
<u>Aquatic toxicity</u>	Not available

## 13. DISPOSAL CONSIDERATIONS

<u>Disposal method and containers:</u>	Ensure containers are sealed. Avoid dust generation. Dispose of to an approved land fill site. Refer to Waste Management Authority.
<u>Special precautions (landfill/incineration):</u>	None known

## 14. TRANSPORT INFORMATION

<u>UN number:</u>	None allocated
<u>Proper shipping name:</u>	None allocated

# MATERIAL SAFETY DATA SHEET

According to NOHSC: 2011 (2003) and HSNO CoP 8-1 (September 2006)

<u>Dangerous goods class:</u>	None allocated
<u>Subsidiary risk:</u>	None allocated
<u>Packing group:</u>	None allocated
<u>Hazchem code:</u>	None allocated

## 15. REGULATORY INFORMATION

NICNAS / AICS:	All components are listed
Poisons Schedule:	Not Scheduled
HSNO Classifications:	6.3A, 6.5B, 6.9, 8.3A
ERMA Group Standard:	HSR002544
ERMA / NZIoC:	All components are listed
Tracking:	Not required
Approved Handler:	Not required

## 16. OTHER INFORMATION

Reason for issue: New Zealand specific MSDS.

Cement Contact Dermatitis: Individuals using wet cement, mortar, grout or concrete could be at risk of developing cement contact dermatitis. Symptoms of exposure include itchy, tender, swollen, hot, cracked or blistering skin with the potential for sensitisation. The dermatitis is due to the presence in the cement, of soluble hexavalent chromium.

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request. All information contained in this MSDS is as accurate and up-to-date as possible. No warranty expressed or implied is made as to its accuracy, reliability or completeness.