

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 29.09.2011
Product: **MASTERTOP 1080 PART B**

Version: 1.0

(30555569/SDS_GEN_AU/EN)

Date of print 30.09.2011

1. Substance/preparation and company identification

MASTERTOP 1080 PART B

Use: Product for construction chemicals

Company:

BASF Australia Limited (ABN 62 008 437 867)
Level 12, 28 Freshwater Place Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

HAZARDOUS SUBSTANCE, DANGEROUS GOOD

Harmful by inhalation, in contact with skin and if swallowed.

Causes burns.

May cause sensitization by skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Keep locked-up and out of reach of children.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Do not empty into drains.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Use only in well-ventilated areas.

3. Composition/information on ingredients

Chemical nature

Hardener, epoxy resin

Hazardous ingredients

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Content (W/W): $\geq 5\%$ - $< 15\%$

CAS Number: 2855-13-2

Hazard symbol(s): C

R-phrases: 21/22, 34, 43, 52/53

Benzyl alcohol

Content (W/W): $\geq 5\%$ - $< 15\%$

CAS Number: 100-51-6

Hazard symbol(s): Xn

R-phrases: 20/22

xylene

Content (W/W): $\geq 5\%$ - $< 10\%$

CAS Number: 1330-20-7

Hazard symbol(s): Xn

R-phrases: 10, 20/21, 38

1,3-Benzenedimethanamine

Content (W/W): $\geq 0.1\%$ - $< 2.5\%$

CAS Number: 1477-55-0

ethylbenzene

Content (W/W): $\geq 0.1\%$ - $< 2.5\%$

CAS Number: 100-41-4

Hazard symbol(s): F, Xn

R-phrases: 11, 20

bisphenol A-epichlorohydrin resin

Content (W/W): $\geq 0.1\%$ - $< 1\%$

CAS Number: 25068-38-6

nonylphenol

Content (W/W): $\geq 0\%$ - $< 1\%$

CAS Number: 25154-52-3

Hazard symbol(s): C, N

R-phrases: 22, 34, 62, 63, 50/53

The wording of the hazard symbols and R-phrases is specified in chapter 16 if dangerous ingredients are mentioned.

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

carbon dioxide, carbon monoxide, nitrogen oxides, fumes/smoke, carbon black, corrosive gases/vapours

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions:

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.

For large amounts: Pump off product.

7. Handling and Storage

Handling

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. Ensure adequate ventilation. No special measures necessary provided product is used correctly.

Protection against fire and explosion:

The product does not contribute to the spreading of flames, nor is it self combustible, not explosive.

Storage

Suitable materials for containers: tin (tinplate)

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight. Store protected against freezing.

Storage stability:

Storage temperature: 5 - 45 °C

The packed product is not damaged by low temperatures or by frost.

The packed product will not be damaged by high temperatures.

8. Exposure controls and personal protection

Components with workplace control parameters

xylene, 1330-20-7;

TWA value 100 ppm (ACGIHTLV)

STEL value 150 ppm (ACGIHTLV)

TWA value 350 mg/m³ ; 80 ppm (OEL (AU))

STEL value 655 mg/m³ ; 150 ppm (OEL (AU))

1,3-Benzenedimethanamine, 1477-55-0;

BASF Safety data sheet
Date / Revised: 29.09.2011
Product: **MASTERTOP 1080 PART B**

Version: 1.0

(30555569/SDS_GEN_AU/EN)

Date of print 30.09.2011

Peak limitation 0.1 mg/m³ (OEL (AU))
Skin Designation (OEL (AU))
The substance can be absorbed through the skin.

ethylbenzene, 100-41-4;

TWA value 434 mg/m³ ; 100 ppm (OEL (AU))
STEL value 543 mg/m³ ; 125 ppm (OEL (AU))

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other
Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

Form: viscous
Colour: beige to light brown
Odour: aromatic, amine-like

pH value: > 12
(20 °C)

Boiling point: > 100 °C
not applicable

Flash point: > 100 °C
Flammability: does not ignite
Self ignition: not self-igniting

BASF Safety data sheet
Date / Revised: 29.09.2011
Product: **MASTERTOP 1080 PART B**

Version: 1.0

(30555569/SDS_GEN_AU/EN)

Date of print 30.09.2011

Self heating ability: It is not a substance capable of spontaneous heating.

Fire promoting properties: not fire-propagating

Vapour pressure:
(20 °C)
not applicable

Density: 1.97 - 2.03 g/cm³
(23 °C)

Solubility in water: insoluble

Miscibility with water:
(20 °C)
immiscible

Hygroscopy: Non-hygroscopic

Viscosity, dynamic:
not applicable

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:
See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
zinc, aluminium, oxidizing agents, strong alkalies, acids

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:
The product is stable if stored and handled as prescribed/indicated.

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
Of moderate toxicity after short-term inhalation. Of low toxicity after single ingestion. Of low toxicity after short-term skin contact. The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation

Assessment of irritating effects:

Corrosive! Damages skin and eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

Sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Genetic toxicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. May cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Additional information

Other ecotoxicological advice:

Do not allow to enter soil, waterways or waste water channels. The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal Considerations

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Domestic transport:

Hazard class:	8
Packing group:	II
ID number:	UN 3267
Hazard label:	8
Proper shipping name:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (contains ISOPHORONEDIAMINE, M-PHENYLENEBIS(METHYLAMINE), NONYLPHENOL)

Further information

Hazchem Code:2X

IERG Number:36

Sea transport

IMDG

Hazard class: 8
 Packing group: II
 ID number: UN 3267
 Hazard label: 8
 Marine pollutant: NO
 Proper shipping name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (contains ISOPHORONEDIAMINE, M-PHENYLENEBIS(METHYLAMINE), NONYLPHENOL)

Air transport

IATA/ICAO

Hazard class: 8
 Packing group: II
 ID number: UN 3267
 Hazard label: 8
 Proper shipping name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (contains ISOPHORONEDIAMINE, M-PHENYLENEBIS(METHYLAMINE), NONYLPHENOL)

15. Regulatory Information

Poisons Schedule: Not scheduled

Regulations of the European union (Labelling)Directive 1999/45/EC ('Preparation Directive'):

Hazard symbol(s)
 C Corrosive.

R-phrase(s)
 R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
 R34 Causes burns.
 R43 May cause sensitization by skin contact.
 R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s)
 S1/2 Keep locked-up and out of reach of children.
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S29 Do not empty into drains.
 S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
 S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
 S51 Use only in well-ventilated areas.

Hazard determining component(s) for labelling: M-PHENYLENEBIS(METHYLAMINE), ISOPHORONEDIAMINE

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Registration status:

AICS, AU released / listed

16. Other Information

Full text of hazard symbols and R-phrases if mentioned as hazardous components in chapter 3:

C	Corrosive.
Xn	Harmful.
F	Highly flammable.
N	Dangerous for the environment.
21/22	Harmful in contact with skin and if swallowed.
34	Causes burns.
43	May cause sensitization by skin contact.
52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
20/22	Harmful by inhalation and if swallowed.
10	Flammable.
20/21	Harmful by inhalation and in contact with skin.
38	Irritating to skin.
11	Highly flammable.
20	Harmful by inhalation.
22	Harmful if swallowed.
62	Possible risk of impaired fertility.
63	Possible risk of harm to the unborn child.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.